



Bid Number/बोली क्रमांक (बिड संख्या): GEM/2024/B/4702514 Dated/दिनांक : 01-03-2024

# Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण		
Bid End Date/Time/बिड बंद होने की तारीख/समय	11-03-2024 21:00:00	
Bid Opening Date/Time/बिंड खुलने की तारीख/समय	11-03-2024 21:30:00	
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)	
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Education	
Department Name/विभाग का नाम	Department Of Higher Education	
Organisation Name/संगठन का नाम	School Of Planning And Architecture Vijayawada	
Office Name/कार्यालय का नाम	School Of Planning And Architecture Vijayawada	
Total Quantity/कुल मात्रा	329	
ltem Category/मद केटेगरी	Classroom Chairs (Q3), Almirah Steel (V2) (Q3), Meeting Table (V2) (Q3), Classroom Stools (Q3), Revolving Chair (V3) (Q2), Computer Table (Q3), Fabric Pin Up Notice Boards (Q4), Dry Erase Writing Boards (V2) (Q3), Metal Shelving Racks as per IS 1883 (Q3), Steel Bookcases as per IS 7761 (Q3), Chair Office (V2) (Q3), Modular Table (Q3)	
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)	
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/	Yes	
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/	Yes	
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria, Certificate (Requested in ATC), OEM Authorization Certificate, Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer	
Bid to RA enabled/बिंड से रिवर्स नीलामी सक्रिय किया	Yes	
RA Qualification Rule	H1-Highest Priced Bid Elimination	
Type of Bid/बिंड का प्रकार	Two Packet Bid	
Primary product category	Classroom Chairs	

Bid Details/बिड विवरण	
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Group wise evaluation

#### EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

#### ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%)/ईपीबीजी प्रतिशत (%)	5.00
Duration of ePBG required (Months)/ईपीबीजी की अपेक्षित अवधि (महीने).	14

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

#### Beneficiary/लाभार्थी:

Director

School of Planning and Architecture, Vijayawada. Survey No.4/4, ITI Road, Vijayawada - 520008, Andhra Pradesh, India.

(School Of Planning And Architecture Vijayawada)

#### Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

### MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

#### MSE Purchase Preference/एमएसई खरीद वरीयता

7	1
MSE Purchase Preference/एमएसई खरीद वरीयता	Yes

- 1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
- 2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
- 3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
- 4. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.
- OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
- 5. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer)of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023 OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. 6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
- 7. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:
  - i. If number of technically qualified bidders are only 2 or 3.
  - ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
  - iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
  - iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
  - v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

#### **Evaluation Method** ( Group Wise Evaluation Method )

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluati on Schedule s  Consigned eporting Officer			Consignee Address	
	Classroom Chairs	S SAI DIWAKAR NAIK	School of Planning and Architecture, Vijayawada. Survey No.4/4, ITI Road,Vijayawada-520008, Andhra Pradesh, India. 520008	100
	Meeting Table (v2)	S SAI DIWAKAR NAIK	School of Planning and Architecture, Vijayawada. Survey No.4/4, ITI Road, Vijayawada-520008, Andhra Pradesh, India. 520008	30
	Classroom Stools	S SAI DIWAKAR NAIK	School of Planning and Architecture, Vijayawada. Survey No.4/4, ITI Road, Vijayawada-520008, Andhra Pradesh, India. 520008	63
Chairs and Tables	Revolving Chair (v3)	S SAI DIWAKAR NAIK	School of Planning and Architecture, Vijayawada. Survey No.4/4, ITI Road, Vijayawada-520008, Andhra Pradesh, India. 520008	8
	Computer Table	S SAI DIWAKAR NAIK	School of Planning and Architecture, Vijayawada. Survey No.4/4, ITI Road, Vijayawada-520008, Andhra Pradesh, India. 520008	8
	Chair Office (v2)	S SAI DIWAKAR NAIK	School of Planning and Architecture, Vijayawada. Survey No.4/4, ITI Road, Vijayawada-520008, Andhra Pradesh, India. 520008	12
	Modular Table	S SAI DIWAKAR NAIK	School of Planning and Architecture, Vijayawada. Survey No.4/4, ITI Road, Vijayawada-520008, Andhra Pradesh, India. 520008	6
	Almirah Steel (v2)	S SAI DIWAKAR NAIK	School of Planning and Architecture, Vijayawada. Survey No.4/4, ITI Road, Vijayawada-520008, Andhra Pradesh, India. 520008	4
Almirah	Metal Shelving Racks As Per Is 1883	S SAI DIWAKAR NAIK	School of Planning and Architecture, Vijayawada. Survey No.4/4, ITI Road, Vijayawada-520008, Andhra Pradesh, India. 520008	36
Shelves	Steel Bookcases As Per Is 7761	S SAI DIWAKAR NAIK	School of Planning and Architecture, Vijayawada. Survey No.4/4, ITI Road, Vijayawada-520008, Andhra Pradesh, India. 520008	8
	Almirah Steel (v2)	S SAI DIWAKAR NAIK	School of Planning and Architecture, Vijayawada. Survey No.4/4, ITI Road, Vijayawada-520008, Andhra Pradesh, India. 520008	10
	Fabric Pin Up Notice Boards	S SAI DIWAKAR NAIK	School of Planning and Architecture, Vijayawada. Survey No.4/4, ITI Road, Vijayawada-520008, Andhra Pradesh, India. 520008	15
Boards	Dry Erase Writing Boards (v2)	S SAI DIWAKAR NAIK	School of Planning and Architecture, Vijayawada. Survey No.4/4, ITI Road, Vijayawada-520008, Andhra Pradesh, India. 520008	9
	Dry Erase Writing Boards (v2)	S SAI DIWAKAR NAIK	School of Planning and Architecture, Vijayawada. Survey No.4/4, ITI Road, Vijayawada-520008, Andhra Pradesh, India. 520008	20

### Classroom Chairs ( 100 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य		
GENERIC	Chair Type	Foldable Writing pad on One side and Arm on other side		
	Type of Seat and Backrest	Made of polypropelene.		
Backrest Details	Density of Cusion Used in Backrest (Kg/Cubic Metre)	40		
	Thickness of Cushion in Backrest in mm (+/- 2 mm)	40		
	Material of Fabric of Backrest Cover	290 gSM Cloth Fabric		
SUPPORT / UNDER STRUCTURE	Frame Material	Mild Steel Pipe of diameter 25 mm and wall thickness 1.1 mm minimum		
Writing Pad Details	Writing Pad Material	PLASTIC MOULDED		
Warranty	Warranty period in number of years	1		
Certification	Product having BIFMA certification	YES		
	OEM of offered product is ISO 9001:2015 certified	YES		
	OEM of offered product is ISO 14001:2015 certified	YES		
	OEM of offered product is ISO 18001:2007/ 45001:2018 certified	YES		

Consignees/Reporting Officer/परेषिती /रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	S SAI DIWAKAR NAIK	520008,School of Planning and Architecture, Vijayawada. Survey No.4/4, ITI Road,Vijayawada-520008, Andhra Pradesh, India.	100	30

### Almirah Steel (V2) ( 4 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
GENERAL REQUIREMENT	Technical specification of Almirah steel	Generally conforming to BIS specification IS: 3312:2021 (with latest amendment)	
	Type of Almirah steel	Almirah Steel shelving cabinets	
	Number of door	2	
	Number of drawers required	No Drawer	
	Number of shelves	2	
	Colour of finish	White	
MATERIAL	Steel sheet material	CRCA sheets conforming to grade CRI of IS 513(part-1):2016 (with latest amendment)	
	Sheet rounds and flats	N.A	
DIMENSION	Almirah height(excluding the height of pedestal) ± 5 mm	1192 mm	
	Almirah width ± 5 mm	900 mm	
	Almirah depth ± 5 mm	430 mm	
	Side sheet thickness	0.8 mm	
	Back sheet thickness	0.8 mm	
	Top sheet thickness	1 mm	
	Bottom sheet thickness	0.8 mm	
	Shelves sheet thickness	0.8 mm	
	Shelves supporting bracket thickness	1.6 mm	
Hinges sheet thickness		1.6 mm	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
	Hanging rod wall thickness	N.A	
	Mirror frame sheet thickness	N.A	
	Mirror frame border width	N.A	
	Width of stiffener	115 mm	
	Stiffener sheet thickness	0.6 mm	
	Number of glass sheet fixed	N.A	
	Handle size	12 cm	
LOCKS AND LOCKING	Steel Almirah lock/locker lock	Six lever lock	
ARRANGEMENT	Material of lock	MAZAK Zinc plated	
FINISH	Finish coat with enamels	N.A	
Powder coating		Conforming to IS: 13871	

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	S SAI DIWAKAR NAIK	520008,School of Planning and Architecture, Vijayawada. Survey No.4/4, ITI Road,Vijayawada-520008, Andhra Pradesh, India.	4	15

### Meeting Table (V2) (30 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL	The shape of table top	Rectangular
REQUIREMENT	Wire management	Without
	Number of the socket box	NA
	In-built sockets for LAN / INTERNET	NA
	Type of understructure	Leg type
MATERIAL	Material of table top	Prelaminated MDF board conforming to grade II and type II of IS:14587/latest
	Material of legs /Gable end	MS pipes with powder coated
	Material of modesty panel	NA
DIMENSION	Length/Diameter/Major axis of tabletop	2400 mm
	Width/Minor axis of tabletop (select NA in case of the round table) ±10(mm)	1200 mm
	Thickness of top ±2(mm)	18 mm
	Table height in mm (±5 mm)	750 mm
	Height of modesty panel ±5(mm)	NA
	Thickness of modesty panel (in mm) $\pm$ 5%	NA
	Thickness of Gable end	NA
	Size/Diameter of legs (± 0[dot]5 mm)	50 mm
	Thickness of legs material	1.6 mm
COLOUR AND FINISH	Type of table top finish	Matt polish
	The thickness of the table top finish	1.0 mm
	Type of Leg(s) /gable end finish	Matt polish
	The thickness of the leg(s) /gable end finish	1.5 mm
	Type of modesty panel finish	No finish
	The thickness of the modesty panel finish	NA
	Colour	As per Buyer's Requirement (to be indicated during bid creation)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Packing	Gutta packing
WARRANTY	Warranty period	1 Year
CERTIFICATION	Test reports to be furnished to buyer on demand	No

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	S SAI DIWAKAR NAIK	520008,School of Planning and Architecture, Vijayawada. Survey No.4/4, ITI Road,Vijayawada-520008, Andhra Pradesh, India.	30	15

### Classroom Stools (63 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Mode of supply	Assembled ready to use
	Style of Stools	Supported by set of Legs
	Design of Stool	With four legs and Foot rest ring
	Approval of Advance sample (in respect of design)	No
	Stools stand a load of	N.A
MATERIAL	Top material	MS sheet
	Frame material	MS pipe heavy duty
	Leg material	25 mm MS pipe heavy duty

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Material of Understructure supporting the top	MS square section of 25 mm x 25 mm with 1.02 mm (18 gauge) wall thickness
DIMENSION & THICKNESS	Dimension of Top (length X Breadth) ±10mm	400 mm (Dia)
	Height of Stool ±10 mm	600 mm
	Thickness of top material (+/-1 mm)	1.2 mm
	Thickness of frame material (+/- 1 mm)	25 mm
	Cross / Round /Square / Rectangular leg member size	25 mm
MISCELLANEOUS	Beeding	N.A
COLOUR & FINISH	Paint / Polish	Powder coated
WARRANTY	Warranty period in number of years	

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	S SAI DIWAKAR NAIK	520008,School of Planning and Architecture, Vijayawada. Survey No.4/4, ITI Road,Vijayawada-520008, Andhra Pradesh, India.	63	15

# Revolving Chair (V3) (8 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL	Tilt mechanism	Only Revolving without tilting mechanism
REQUIREMENT	Locking mechanism	Tilt limiter
	Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation	Fixed
	Backrest type	Fixed type
MATERIAL AND	Pedestal Base	Nylon
MATERIAL THICKNESS	Armrest Material	PU molded over plastic inner
	Minimum density of foam used in seat	30 kg per cubic meter
	Minimum thickness of PU foam used in seat	30 mm
	Seat upholstery material	100 % Polyester fabric
	Backrest base frame material	Hot pressed plywood
	Padding at backrest	PU foam
	The minimum density of foam used in the backrest	30 kg per cubic meter
	Minimum thickness of PU foam used in backrest	30 mm
	Backrest upholstery material	100 % Polyester fabric
	Upholstery material thickness /fabric substance used in seat /backrest	Minimum 200 GSM (for Woven fabric)
DIMENSION	Minimum width of seat	450 mm
	Minimum depth of seat	400 mm
	Minimum width of backrest	450 mm
	Backrest height	Mid back (451 to 550 mm)
	Minimum thickness of MS Plate Joining the understructure with Seat	2 mm
	Minimum pedestal size (diameter)	650 mm
COLOUR AND FINISH	Upholstered material seat color	Black
	Upholstered material backrest color	Black

S	.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1		S SAI DIWAKAR NAIK	520008,School of Planning and Architecture, Vijayawada. Survey No.4/4, ITI Road,Vijayawada-520008, Andhra Pradesh, India.	8	15

# Computer Table (8 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
GENERIC	Type of Computer Table	Computer table with key board drawer and table top	
	Placing of modesty panel	N.A	
MATERIAL	Welding of Modesty Panel	N.A	
	Welding at top and Back	N.A	
	Guides Thickness (for drawer)	N.A	
	Material of Table Top, Key board and drawer	pre-laminated Particle boards (Wood Product) of grade II Type II of IS 12823 Latest	
	Thickness of Table Top etc	18, 25, 30 Or higher (millimeter)	
	Lock of Drawer	No	
	Type of lock	N.A	
	Material of Modesty Panel	N.A	
DIMENSION	Size of Computer Table ±10 mm (LXBXH)	900 Mm X 600 Mm X 750 Mm	
	Size of Printer Table ±10 mm (LXBXH)	NA	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Size of Computer Cum Printer Table ±10 mm (LXBXH)		NA
	Outside Drawer Size (L X B X H) ±5 mm	NA
	Size of key board tray ±5 mm	600 mm (front width) X 500 mm (depth) provided with end fitting made from 2 mm thick MS steel mounted on either side
	Size of Modesty panel	N.A
COLOUR & FINISH	Primer for coating on M S parts	Redoxide
WARRANTY	Warranty period in number of years	3, 4, 5 Or higher

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	S SAI DIWAKAR NAIK	520008,School of Planning and Architecture, Vijayawada. Survey No.4/4, ITI Road,Vijayawada-520008, Andhra Pradesh, India.	8	15

# Fabric Pin Up Notice Boards (15 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का	Bid Requirement/बिंड के लिए आवश्यक (Allowed
Specification	नाम	Values)/अनुमत मूल्य

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	S SAI DIWAKAR NAIK	520008,School of Planning and Architecture, Vijayawada. Survey No.4/4, ITI Road,Vijayawada-520008, Andhra Pradesh, India.	15	15

## **Dry Erase Writing Boards (V2) ( 9 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL	Purpose	Writing
REQUIREMENT	Mounting type	Wall mounts
	Frame (All round framing)	With
	Writing board placed on	N.A
MATERIAL AND THICKNESS	Top Surface materials (Used for white board surface)	Melamine
	Top surface material thickness	0.7 mm to 0.8 mm
	Frame material	Anodized extruded aluminum alloy hollow section designation 63400 conforming to IS 1285 (With latest amendment)
	Core material	MDF board grade-I conforming to IS 12406 (with latest amendment)
	Core material thickness	9 mm
DIMENSION	Dimension (mm x mm)	1200 x 3600

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	S SAI DIWAKAR NAIK	520008,School of Planning and Architecture, Vijayawada. Survey No.4/4, ITI Road,Vijayawada-520008, Andhra Pradesh, India.	9	15

### Dry Erase Writing Boards (V2) ( 20 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

	Supplies that Name Config. II	Pid Powissonant/Or → Our NEWST (Allowed
Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	- 11-1	2 a.
GENERAL	Purpose	Writing cum projector screening
REQUIREMENT	Mounting type	Wall mounts
	Frame (All round framing)	With
	Writing board placed on	Core material and its backing material
MATERIAL AND THICKNESS	Top Surface materials (Used for white board surface)	Melamine
	Top surface material thickness	0.3 mm to 0.4 mm
	Frame material	Anodized extruded aluminum alloy hollow section conforming to IS 733 (With latest amendment)
	Core material	MDF board grade-I conforming to IS 12406 (with latest amendment)
	Core material thickness	9 mm
DIMENSION	Dimension (mm x mm)	1200 x 3600

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	S SAI DIWAKAR NAIK	520008,School of Planning and Architecture, Vijayawada. Survey No.4/4, ITI Road,Vijayawada-520008, Andhra Pradesh, India.	20	15

### Metal Shelving Racks As Per IS 1883 (36 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Туре	OPEN TYPE
	Number of Shelves/Compartments (Top / Ceiling Shelf - not to be counted)	4
MATERIAL	Shelves Material	0.8 mm Thick MS Sheet Conforming to Commercial Quality CR-1, Grade 340 of IS 513
DIMENSION	Depth in mm (±5 mm)	400
	Width in mm (±5 mm)	800
	Height in mm (±5 mm)	1275
MISC	Paint	Stove enameled
WARRANTY	Warranty in number of years	2

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	S SAI DIWAKAR NAIK	520008,School of Planning and Architecture, Vijayawada. Survey No.4/4, ITI Road,Vijayawada-520008, Andhra Pradesh, India.	36	30

### Steel Bookcases As Per IS 7761 (8 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Type of lock	cam lever lock with common key
	Number of Doors (NOS)	4
MATERIAL	Thickness of MS Sheet used for Shutter in mm	0.8
	Thickness of MS Sheet used for Shelf in mm	0.8
	Thickness of MS Sheet used for Top, Bottom, Back and Sides in mm	0.7
DIMENSION	Height of Steel Bookcase in mm (± 10 mm)	1742
	Width of Steel Bookcase in mm (±5 mm)	914
	Depth of Steel Bookcase in mm (± 3 mm)	305 mm
CERTIFICATION	ISI Marked	No
	Test reports to be furnished to buyer on demand	YES
	BIFMA certified	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007/45001:2018 certified	YES

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	1

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	S SAI DIWAKAR NAIK	520008,School of Planning and Architecture, Vijayawada. Survey No.4/4, ITI Road,Vijayawada-520008, Andhra Pradesh, India.	8	15

### Almirah Steel (V2) ( 10 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Technical specification of Almirah steel	Generally conforming to BIS specification IS: 3312:2021 (with latest amendment)
	Type of Almirah steel	Almirah Steel shelving cabinets
	Number of door	2
	Number of drawers required	No Drawer
	Number of shelves	4
	Colour of finish	Prince Grey
MATERIAL	Steel sheet material	CRCA sheets conforming to grade CRI of IS 513(part-1):2016 (with latest amendment)
	Sheet rounds and flats	N.A

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
DIMENSION	Almirah height(excluding the height of pedestal) ± 5 mm	1980 mm
	Almirah width ± 5 mm	920 mm
	Almirah depth ± 5 mm	480 mm
	Side sheet thickness	0.9 mm
	Back sheet thickness	0.8 mm
	Top sheet thickness	0.9 mm
	Bottom sheet thickness	0.9 mm
	Shelves sheet thickness	0.7 mm
	Shelves supporting bracket thickness	1.6 mm
	Hinges sheet thickness	1.6 mm
	Hanging rod wall thickness	N.A
	Mirror frame sheet thickness	N.A
	Mirror frame border width	N.A
	Width of stiffener	115 mm
	Stiffener sheet thickness	0.6 mm
	Number of glass sheet fixed	N.A
	Handle size	12 cm
LOCKS AND LOCKING ARRANGEMENT	Steel Almirah lock/locker lock	Six lever lock
AKKANGEMENI	Material of lock	Finish having brass levers and MAZAK/ZAMAK bolt having Zinc plated finish along with MAZAK/ZAMAK hable
FINISH	Finish coat with enamels	N.A
	Powder coating	Conforming to IS: 13871

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	S SAI DIWAKAR NAIK	520008,School of Planning and Architecture, Vijayawada. Survey No.4/4, ITI Road,Vijayawada-520008, Andhra Pradesh, India.	10	15

# Chair Office (V2) ( 12 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य		
GENERAL	Chair Type	Non-Revolving and Non-Tilting chair with Armrest		
REQUIREMENT	Chair frame type	Cantilever		
	Armrest type	Overhanging armrest		
	Seat type	Padded		
	Backrest type	Moulded		
CHAIR FRAME	Frame Material Configuration	One piece		
	Frame material	Steel tube (ERW quality) conforming to IS: 1161 (with latest Amendment)		
SEAT FABRICATION	Seat material	Moulded Plywood		
	Seat material thickness	12 mm		
	Density of Polyurethane foam used in seat (±2 Kg/Cub Meter)	45		
	Seat upholstered with	Fabric		
	GSM of seat cover (± 3 GSM)	250 GSM		
BACKREST FABRICATION	Backrest material	Mesh with support of injection moulded polypropylene (P.P)		
	Density of Polyurethane foam used in Backrest ( ±2 Kg/Cub Meter)	N.A		
	Backrest upholstered with	Mesh Fabric		
DIMENSION	Seat Depth (± 5 mm)	410 mm		
	Seat Width (± 5 mm)	440 mm		

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
	Seat height from floor surface (± 5 mm)	495 mm	
	Backrest width (± 5 mm)	390 mm	
	Backrest height from seat (± 5 mm)	380 mm	
COLOUR AND FINISH	Paint Type	Ероху	
	Polish Type	N.A	
	Colour of Paint	Black	
TEST REPORT AND CERTIFICATION	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove the conformity of product to the Specification	No	
	Test reports to be furnished to buyer on demand	N.A	

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	S SAI DIWAKAR NAIK	520008,School of Planning and Architecture, Vijayawada. Survey No.4/4, ITI Road,Vijayawada-520008, Andhra Pradesh, India.	12	15

### **Modular Table ( 6 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
MATERIAL	Table Top material and thickness ±3mm	25mm thickness Flat single layer MDF board of Grade SBG II of IS 12406 Latest	
	Gable end and modesty panel material and thickness	18 mm thickness Flat single layer pre-laminated MDF board conforming to having designation PLMDF - 23 of IS 14587 Latest	
GENERIC	Mode of Supply of modular table	Knocked Down to be assembled at consignee site by the Seller	
	Storage Provided	No Storage	
	Number of storage unit	No Storage	
DIMENSION	Length of Table Top ±10(mm)	2400.0 (millimeter)	
	Depth of Table Top±10(mm)	900.0 (millimeter)	
	Height of Table Top±10(mm)	750.0 (millimeter)	
WARRANTY Warranty period in number of years		1	

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	S SAI DIWAKAR NAIK	520008,School of Planning and Architecture, Vijayawada. Survey No.4/4, ITI Road,Vijayawada-520008, Andhra Pradesh, India.	6	30

# Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

#### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

#### 2. Service & Support

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

#### 3. Generic

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

School of Planning and Architecture, Vijayawada. Survey No.4/4, ITI Road, Vijayawada - 520008, Andhra Pradesh, India.

#### 4. Generic

**Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

#### 5. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

#### 6. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

#### 7. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1. Sample Product is to be provided for testing, free of cost, before placing order by the bidder /seller. (On request from the buyer if necessary)

#### 8. Warranty

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

#### 9. Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

#### 10. Generic

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly,

manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

#### 11. Generic

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

#### 12. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

School of Planning and Architecture, Vijayawada. payable at

Vijayawada.

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

#### 13. Warranty

Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period. Seller has to complete the required Service / Rectification within 3 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imberse the cost of such service / rectification to the Buyer.

#### 14. Generic

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

#### 15. Certificates

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

#### Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.

- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process.
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

#### This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---